

## References

- 1- Traish AM, Kang HP, Saad F, et al. Dehydroepiandrosterone (DHEA): a precursor steroid or an active hormone in human physiology. *J Sex Med.* 2011; 8:2960–82.
- 2- Baulieu EE, Thomas G, Legrain S, Lahlou N, Roger M, Debuire B, Faucounau V, Girard L, Hervy MP, Latour F *et al.* Dehydroepiandrosterone (DHEA), DHEA sulfate, and aging: contribution of the DHEAge Study to a sociobiomedical issue. *PNAS* 2000 **97** 4279–4284.
- 3- Young JM & McNeilly AS. Theca: the forgotten cell of the ovarian follicle. *Reproduction* 2010 **140** 489–504.
- 4- Artini PG, Simi G, Ruggiero M, Pinelli S, Di Berardino OM, Papini F, Papini S, Monteleone P & Cela V. DHEA supplementation improves follicular microenvironment in poor responder patients. *Gynecological Endocrinology* 2012 **28** 669–673.
- 5- Al-Turki HA. Dehydroepiandrosterone supplementation in women undergoing assisted reproductive technology with poor ovarian response. A prospective case control study. *J Int Med Res.* 2018 Jan;46(1):143-149.
- 6- Fouany MR & Sharara FI. Is there a role for DHEA supplementation in women with diminished ovarian reserve? *Journal of Assisted Reproduction and Genetics* 2013 **30** 1239–1244.
- 7- Fusi FM, Ferrario M, Bosisio C, et al. DHEA supplementation positively affects spontaneous pregnancies in women with diminished ovarian function. *Gynecol Endocrinol.* 2013;29: 940–3.
- 8- Zhang J, Qiu X, Gui Y, Xu Y, Li D, Wang L. Dehydroepiandrosterone improves the ovarian reserve of women with diminished ovarian reserve and is a potential regulator of the immune response in the ovaries. *Biosci Trends.* 2015 Dec;9(6): 350-9.
- 9- Li J, Yuan H, Chen Y, Wu H, Wu H, Li L. A meta-analysis of dehydroepiandrosterone supplementation among women with diminished ovarian reserve undergoing in vitro fertilization or intracytoplasmic sperm injection. *Int J Gynaecol Obstet.* 2015 Dec;131(3):240-5.
- 10-Hyman JH, Margalioth EJ, Rabinowitz R, Tsafir A, Gal M, Alerhand S, Algur N & Eldar-Geva T. DHEA supplementation may improve IVF outcome in poor responders: a proposed mechanism. *European Journal of Obstetrics and Gynecology and Reproductive Biology* 2013 **168** 49–53.
- 11- Tartagni M, Cicinelli MV, Baldini D, Tartagni MV, Alrasheed H, DeSalvia MA, Loverro G, Montagnani M. Dehydroepiandrosterone decreases the age-related decline of the in vitro fertilization outcome in women younger than 40 years old. *Reprod Biol Endocrinol.* 2015 Mar 9; 13:18.
- 12-Gleicher N, Weghofer A, Barad DH. Improvement in diminished ovarian reserve after dehydroepiandrosterone supplementation. *Reprod Biomed Online.* 2010; 21:360- 365.
- 13-Weissman A, Horowitz E, Ravhon A, Golan A, Levran D. Dehydroepiandrosterone supplementation increases baseline follicular phase progesterone levels. *Gynecol Endocrinol.* 2011; 27:1014-1017.

- 14-Gibson DA, Simitsidellis I, Cousins FL, Critchley HO, Saunders PT. Intracrine androgens enhance decidualization and modulate expression of human endometrial receptivity genes. *Sci Rep* 2016; 6:19970.
- 15- Du H, Daftary GS, Lalwani SI, Taylor HS. Direct regulation of HOXA10 by 1,25-(OH)2D3 in human myelomonocytic cells and human endometrial stromal cells. *Mol Endocrinol*. 2005 Sep;19(9):2222-33.
- 16- Deng KX, Liu XC, Zheng YH, et al. Expression and significance of HOXA10 gene in the eutopic and ectopic endometrium of endometriosis. *Zhonghua Fu Chan Kke Za Zhi* 2011; 46:813–6.
- 17- Çelik Ö, Acet M, İmren A, Çelik N, Erşahin A, Aktun LH, Otlu B, Çelik S, Çalışkan E, Ünlü C. DHEA supplementation improves endometrial HOXA-10 mRNA expression in poor responders. *J Turk Ger Gynecol Assoc*. 2017 Dec 15;18(4):160-166.
- 18- Gibson DA, Simitsidellis I, Kelepouri O, Critchley HOD, Saunders PTK. Dehydroepiandrosterone enhances decidualization in women of advanced reproductive age. *Fertil Steril*. 2018 Apr;109(4):728-734.e2.
- 19- Thouas GA, Trounson AO, Jones GM (2006) Developmental effects of sublethal mitochondrial injury in mouse oocytes. *Biol. Reprod.* 74, 969–977.
- 20- Lin, L.T.; Wang, P.H.; Wen, Z.H.; Li, C.J.; Chen, S.N.; Tsai, E.M.; Cheng, J.T.; Tsui, K.H. The application of dehydroepiandrosterone on improving mitochondrial function and reducing apoptosis of cumulus cells in poor ovarian responders. *Int. J. Med. Sci.* 2017, 14, 585–594.
- 21- Li CJ, Chen SN, Lin LT, Chern CU, Wang PH, Wen ZH, Tsui KH. Dehydroepiandrosterone Ameliorates Abnormal Mitochondrial Dynamics and Mitophagy of Cumulus Cells in Poor Ovarian Responders. *J Clin Med.* 2018 Sep 20;7(10). pii: E293.
- 22- Lin LT, Wang PH, Wen ZH, Li CJ, Chen SN, Tsai EM, Cheng JT, Tsui KH. The Application of Dehydroepiandrosterone on Improving Mitochondrial Function and Reducing Apoptosis of Cumulus Cells in Poor Ovarian Responders. *Int J Med Sci.* 2017 May 13;14(6):585-594.
- 23- Weiss EP, Villareal DT, Fontana L, Han DH, Holloszy JO. Dehydroepiandrosterone (DHEA) replacement decreases insulin resistance and lowers inflammatory cytokines in aging humans. *Aging (Albany NY)*. 2011 May; 3(5):533-42.
- 24-Sen A, Hammes S. Granulosa cell specific androgen receptors are critical regulators of ovarian development and function. *Mol Endocrinol*. 2010;24(7): 1393–403.
- 25-Prizant H, Gleicher N, Sen A. Androgen actions in the ovary: balance is key. *J Endocrinol*. 2014;222(3):R141–R51.
- 26-Haning RV, Hackett RJ, Flood CA, Loughlin JS, Zhao QY, Longcope C. Plasma dehydroepiandrosterone sulfate serves as a prehormone for 48 % of follicular fluid testosterone during treatment with menotropins. *J Clin Endocrinol Metab*. 1993;76: 1301–7.
- 27- Hu Q, Hong L, Nie M, Wang Q, Fang Y, Dai Y, Zhai Y, Wang S, Yin C, Yang X. The effect of dehydroepiandrosterone supplementation on ovarian response is associated with androgen receptor in diminished ovarian reserve women. *J*

Ovarian Res. 2017 May 4;10(1):32.

- 28-Genazzani AD, Stomati M, Strucchi C, Puccetti S, Luisi S, Genazzani AR. Oral dehydroepiandrosterone supplementation modulates spontaneous and growth hormone-releasing hormone-induced growth hormone and insulinlike growth factor-1 secretion in early and late postmenopausal women. *Fertil Steril*. 2001;76(2):241–8.
- 29-Fried G, Remaeus K, Harlin J, Krog E, Csemiczky G, Aanesen A, et al. Inhibin B predicts oocyte number and the ratio IGF-I/IGFBP-1 may indicate oocyte quality during ovarian hyperstimulation for in vitro fertilization. *J Assist Reprod Genet*. 2003;20(5):167–76.
- 30-Liu HC, He ZY, Mele CA, Veeck LL, Davis O, Rosenwaks Z. Human endometrial stromal cells improve embryo quality by enhancing the expression of insulin-like growth factors and their receptors in cocultured human preimplantation embryos. *Fertil Steril*. 1999;71(2):361–7.
- 31-Peters JM, Zhou YC, Ram PA, Lee SS, Gonzalez FJ & Waxman DJ. Peroxisome proliferator-activated receptor alpha required for gene induction by dehydroepiandrosterone-3 beta-sulfate. *Molecular Pharmacology* 1996 **50** 67–74.
- 32-Perez GI, Jurisicova A, Matikainen T, Moriyama T, Kim MR, Takai Y, Pru JK, Kolesnick RN & Tilly JL. A central role for ceramide in the age-related acceleration of apoptosis in the female germline. *FASEB Journal* 2005 **19** 860–862.
- 33-Wang X, Rao RP, Kosakowska-Cholody T, Masood MA, Southon E, Zhang H. Mitochondrial degeneration and not apoptosis is the primary cause of embryonic lethality in ceramide transfer protein mutant mice. *J Cell Biol* 2009; 184:143–58.
- 34-Poynter ME, Daynes RA. Peroxisome proliferator-activated receptor α activation modulates cellular redox status, represses nuclear factor-κB signaling, and reduces inflammatory cytokine production in aging. *J Biol Chem* 1998; 273 32833–32841.
- 35-LeFebvre P, Chinetti G, Fruchart J-C, Staels B. Sorting out the roles of PPARα in energy metabolism and vascular homeostasis. *J Clin Invest* 2006; 116 571–580.
- 36-Straub RH, Konecna L, Hrach S, Rothe G, Kreutz M, Schölmerich J, Falk W, Lang B. Serum dehydroepiandrosterone (DHEA) and DHEA sulfate are negatively correlated with serum interleukin-6 (IL-6), and DHEA inhibits IL-6 secretion from mononuclear cells in man in vitro: possible link between endocrinosenescence and immunosenescence. 83 1998; 2017.
- 37-Iwasaki Y, Asai M, Yoshida M, Nigawara T, Kambayashi M, Nakashima N. Dehydroepiandrosterone-sulfate inhibits nuclear factor-κB-dependent transcription in hepatocytes, possibly through antioxidant effect. *J Clin Endocrinol Metab* 2004; 89 3449–3454.
- 38- Gleicher N, Kushnir VA, Darmon SK, Wang Q, Zhang L, Albertini DF, Barad DH. Suspected ontogeny of a recently described hypo-androgenic PCOS-like phenotype with advancing age. *Endocrine*. 2018 Mar;59(3):661–676.

